C14.047G

Page 1 of 1

CERTIFICATE



Certificate date:	02-06-2014	
Issued to:	FENIX STAGE, S.L. Avda. de los Trabajadores, 24 Horno de Alcedo 46026 - Valencia (Spain)	

The Inspector that signs this certificate has done the report 6014.14G for the revision of the manufacturer documentation and machines design assessment, based on:

- Directive 2006/42/CE on machinery that establish "Essential health and safety requirements relating to the design and construction of machinery".
- la BGV C1: "Accident prevention regulations for event and production for stage performances"
- BGG 912: "Testing of safety and mechanical equipment in staging and production for stage

perj	formances ".	
NAME:		Lifting tower
MARK:		FENIX
REFERENCE / TYPE / MODEL:		ELV-300/6
Description:	vertically raise strusound equipment is sound equipment if Maximum heige Maximum load: Maximum load: Minimal load: Material: steel Cable: galvaniz load 2150kg, si diameter 6mm Open base are Area of the base Weight: 100kg Winch: 900kg I	ht: 1,92 m. l: 300kg. 25kg. EN 10305-5 ed steel EN12385-4. Max. trength quality 1770 N/mm2, a: 2,12 x 2,12 m. see closed: 0,47 x 0,47 m. Maximum Load with automatic load retention brake ections to working height with safety pins.
Fach lifting tow		vith an EC declaration of conformity, including serial number and date of manufacturing

Each lifting tower has to be supplied with an EC declaration of conformity, including serial number and date of manufacturing. To comply with BGG 912, for some event or production, an inspection done by an expert could be required before start up.

Based on reviewed documents, the inspector certifies that the machine COMPLIES with all minimal design dispositions of the regulations applied.

DEKRA Ambio, S.A.U.

P. I. Bergondo Parcela R-9 15165 Bergondo (A COMMaite Fernandez Varela Tel. 981 97 02 52 Mines and Materials Engineer Expert in Industrial Safety

ergondo at, June 2, 2014

Fax 981 97 02 53

2